

## HARYANA

### BLACK TOP

Black pigmented top coat for leather finishing, non-aqueous.

#### PROPERTIES:

Appearance	: Jet Black Thick Paste
Nature	: Pigmented NC
Solid Content	: 20 ± 1%
pH (10% Sol.)	: N.A.
Flexibility	: Good
Film Hardness	: Medium
Shelf Life	: Six months

**BLACK TOP** is a non-aqueous pigmented finish for use as top coat on black leather. The product being free of dye has extremely good lightfastness. It gives a good surface feel.

Leathers topped with **BLACK TOP** may be ironed on finiflex type of machine for good gloss and smooth surface feel.

Recommended plating temperature for this lacquer is upto 100 °C at 100 kg/cm<sup>2</sup> pressure.

#### SUGGESTED APPLICATIONS:

**BLACK TOP** can be diluted with Butyl Acetate or any good thinner in the ratio of 1:2 to 1:2.5 depending upon the coverage required on leather. Gloss of **BLACK TOP** may be regulated with Matt Top.

Modifier 32 may be added to **BLACK TOP** to regulate the surface feel of leather.

#### LACQUERS

Top Coat	:	100 parts	<b>BLACK TOP</b>
		200 parts	Thinner
Medium Gloss Top Coat	:	50 parts	<b>BLACK TOP</b>
		50 parts	Matt Top
		200 parts	Thinner

Note : Suggested formulations are only for guidance and necessary modifications must be made to achieve a particular result.