

UPHOL MX

Characteristics	
Composition:	: High molecular succinic
	ester sulphonates and
	odourless natural oil
	based triglyceride
	softener
Appearance:	: Off- white viscous liquid -
	e a sily poura ble
Active Content:	: 50± 1%
Solubility:	: Ea sy Solubility in water
pH (1:10):	: 7.0 ± 0.5

Suggested Application

Upholstery

Gloving

Garment leathers

Shoe softie

REACH COMPLIANT



Green-Trek-Compliant

A symbol of our commitment to sustainable technologies

Store be twee n + 5 ' c to 35 ' c in original pack, well-sea led. Product is stab le for 24 months from the date of production.



Non Flammable / Keep Flames Away

Store Indoors





Protect From Snow

Use Gloves/Ensure Ventilation



Softening fatliquor for extremely deep softness, stretch-ability and roundness – especially developed for gloving, upholstery and clothing leathers requiring inner softness, sophisticated feel and tear strength.

UPHOL MX is designed to be the main fatliquor that imparts leathers an unparalleled deep inner softness , full plumpy handle and extremely pleasant touch and feel . The chrome tanned leathers will emerge having clean – bright - white surface without the usual chrome lik etones.

The ethylene oxide adducts and high molecular triglycerides of UPHOL MX are balanced to relax fibre cores yielding a higher surface area . The presence of highest quality natural oils which are completely odourless , yield a ver y natural touch and odur – unlik e synthetic hydrocarbon based fatlqiuoring agents .

UPHOL MX is recommended when ver y soft leather also demand a high stretch and tear resistance . When used in combination , it stabilizes unstable fatlqiuoring mixtures , stimulates fatlqiuoring due to its high electrolytic stability , ver y high emulsifying power and excellent levelling of dyeing capacity .

Caution: Avoid using with cationic products

Usage

To the required quantity of Uphol MX add slowly, three times of its own weight of water at $50^{\circ}C$, while stirring

Industrial Gloving : 12-15 % Uphol MX

2-3 % Neophol HMK

Upholstery : 11-13% Uphol MX

3-5% Uphol PFK

Garment : 12-15% Uphol MX

3-5% Neophol CX

Shoe Softie : 12-15% Uphol MX

3-5% Nouvol SR

Note: Sugge sted formulations are only for guidance and nece ssary modifications must be made to a chieve a particular result